Form Approved REPORT DOCUMENTATION PAGE OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and Public reporting ourden for this collection of information is estimated to average 1 nour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. 3. DATES COVERED (From - To) 2. REPORT TYPE 1. REPORT DATE (DD-MM-YYYY) Technical Papers 5a, CONTRACT NUMBER 4. TITLE AND SUBTITLE 5b. GRANT NUMBER use see attached 5c. PROGRAM ELEMENT NUMBER 5d, PROJECT NUMBER 6. AUTHOR(S) 1011 5e. TASK NUMBER 5f. WORK UNIT NUMBER 346204 8. PERFORMING ORGANIZATION 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) REPORT Air Force Research Laboratory (AFMC) AFRL/PRS 5 Pollux Drive Edwards AFB CA 93524-7048 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSOR/MONITOR'S ACRONYM(S) Air Force Research Laboratory (AFMC) 11. SPONSOR/MONITOR'S AFRL/PRS NUMBER(S) 5 Pollux Drive Edwards AFB CA 93524-7048 12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. SUPPLEMENTARY NOTES 14. ABSTRACT 20030116 032 15. SUBJECT TERMS

17. LIMITATION

OF ABSTRACT

Α

16. SECURITY CLASSIFICATION OF:

b. ABSTRACT

Unclassified

c. THIS PAGE

Unclassified

a. REPORT

Unclassified

18. NUMBER

OF PAGES

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. 239.18

19a, NAME OF RESPONSIBLE

PERSON

Leilani Richardson

19b. TELEPHONE NUMBER

(include area code)

(661) 275-5015

J6

MEMORANDUM FOR IN-HOUSE PUBLICATIONS

FROM: PROI (TI) (STINFO)

30 Apr 98

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-TP-1998-089

Pat Carrick "New Propellants and Propulsion Techniques" HEDM Presentation (Statement A)



Propulsion Techniques New Propellants and

Dr Patrick Carrick Air Force Research Laboratory Propulsion Sciences and Advanced Concepts Division Edwards AFB, CA

Outline



High Energy Density Matter (HEDM)

- Energetic liquid hydrocarbon fuels
- Non-toxic liquid monopropellants
 - Cryogenic solid propellants
- Theory development & calculations

Laser Propelled Lightcraft

Concepts Examined



Chemically Bound Excited States

High Spin States

Dications

no good stabilization method

Too reactive or unstable;

lonic Hydrogen Clusters

Unique Inorganic Molecular

High payoff areas for energetics; heteroatom systems of particular interest

Enables use of highly energetic systems

Systems
Strained Ring Systems
Small Molecules

Cryogenic Solid Stabilization




Solid Hydrogen Additives



- Mg, and Al atoms in solid H_2 at ~ 0.1% · Demonstrated trapping of Li, B, N, O, concentrations
- · Samples are stable at liquid helium temperatures
- Do not fully understand microscopic structures/dynamics
- sample sizes (recently scaled up from Need to increase concentrations and $\sim 10 \mu m$ to 1cm H₂ matrices)

Advanced Monopropellants





Candidate propellants Sp (Sec)	(sec)	(d/cc)
Hydrazine	198	1.00
Peroxide	164	1.43
. RKS-M1	270 * P=1000 psi, Sc	270 1.69 P.=1000 psi, Sea Level exhaus
	-	

Approach

- · Low melting salts, dissolved in solvents
- Low volatility
 - Low toxicity
- Solvents act as fuel, tailor properties
- Low shock sensitivity

Status

- Several candidates synthesized
- One has low shock sensitivity
- Low cost synthesis established


Payoff

- Up to 130% Isp. Density Increase
- Double Satellite On-orbit Lifetime
- Non-toxic hydrazine replacement Lo

What is Lightcraft Technology?



Laser Propelled Launch Vehicle



Air breathing to 30km

How it will work:


Rocket propelled to orbit

What it will look like:

- Ground-based Laser
- Pulsed Laser Propulsion

Lighteraft Technology





Technology Assessment



Lightcraft Propulsion

Vertical flights, up to 100 miles altitude, air-breathing only

Launch of up to 5 kg into Low Earth Orbit (200 nm)

Launch of up to 100 kg into LEO; interstellar flights

Approximate Milestone Targets

Near Term (2 - 5 years)

Mid Term (5 - 10 years)

Far Term (20-50 years)

Laser Power Required to Achieve Goal

100 - 500 KW

2 - 5 MW

100-500 MW